INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

(Note: This Certificate shall be supplemented by a Record of Construction and Equipment)

Issued under the provisions of the

INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973

As modified by the Protocol of 1978, relating thereto, (hereinafter referred to as "the Convention") under the authority of the Government of:

THE UNITED STATES OF AMERICA

By the

UNITED STATES COAST GUARD

Name of ship	Distinctive number or letters	Port of Registry	Gross Tonnage	Deadweight of ship (tons)	IMO Number *
ALASKA PROVIDER	677990	Juneau, AK	2440 ITC	-	N/A

Тур	e of Ship:			
	Oil Tanker (Form B Suppleme	nt attached)		
	Ship other than an oil tanker w (Form B Supplement attached)		ulation 2.2 of Annex I of the Convention	
·	Ship other than any of the abo	ve (Form A Supplement attached))	
THI	S IS TO CERTIFY:			
1.	. That the ship has been surveyed in accordance with the requirements of regulation 6 of Annex I of the Convention; and			
2.		re in all respects satisfactory and	tings, arrangement and material of the that the ship complies with the applicable	
	s certificate is valid until *:		subject to surveys in accordance	
wit	h the regulation 6 of Annex	of the Convention.		
	Issued at SEATTLE, WA	//		
	05Nov2021	(Place of issue) L B Bacon, SDR, USCG	By Direction	
	(Date of issue)	(Officer in Charge, Marine Inspe	ction, U.S. Coast Guard)	
+ F	or oil tankers	. 3105.1		

++ Refer to the IMO Ship Identification Number Scheme adopted by the Organization by resolution A.600(15).

The Coast Guard estimates that the average burden for this report is 5 minutes. You may submit any comments concerning the accuracy of this burden estimate or any suggestions for reducing the burden to: Commandant (CG-CVC), U.S. Coast Guard, 2100 2nd Street SW Stop 7581, Washington, DC 20593-7581 or Office of Management and Budget, Paperwork Reduction Project (1625-0017), Washington, DC 20503

^{*} Insert the date of expiry as specified by the Administration in accordance with regulation 10.1 of Annex I of the Convention. The day and the month of this day corresponds to the anniversary date as defined in regulation 1.27 of Annex I of the convention, unless amended in accordance with regulation 10.8 of Annex I of the convention.

ANNUAL/INTERMEDIATE SURVEY IN ACCORDANCE WITH REGULATION 10.8.3

in accordance with regulation 10.8.3 THIS IS TO CERTIFY that, at an of Annex I of the Convention, the ship was found to comply with the relevant provisions of the Convention: Signed: (Signature of duly authorized official) Place: SEAMS Date: 10Nouzz **ENDORSEMENT TO EXTEND THE CERTIFICATE IF VALID FOR LESS THAN 5 YEARS** WHERE REGULATION 10.3 APPLIES This ship complies with the relevant provisions of the Convention, and this Certificate shall, in accordance with regulation 10.3 of Annex I of the Convention, be accepted as valid until: Signed: _ ~ 7 (Signature of duly authorized official) Place: SEAMS 9 JAN 2024 Date: ENDORSEMENT WHERE THE RENEWAL SURVEY HAS BEEN COMPLETED AND **REGULATION 10.4 APPLIES** This ship complies with the relevant provisions of the Convention, and this Certificate shall, in accordance with regulation 10.4 of Annex I of the Convention, be accepted as valid until: Signed: (Signature of duly authorized official) Place: Date:

ANNUAL/INTERMEDIATE SURVEY IN ACCORDANCE WITH REGULATION 10.8.3

	in accordance with regulation 10.8.3 ship was found to comply with the relevant provisions of
	Signed: (Signature of duly authorized official) Place:
	Date:
WHERE	HE CERTIFICATE IF VALID FOR LESS THAN 5 YEARS REGULATION 10.3 APPLIES
	ant provisions of the Convention, and this Certificate on 10.3 of Annex I of the Convention, be accepted as
	Signed:(Signature of duly authorized official)
7790	Place: Date:
ENDORSEMENT WHERE THE	RENEWAL SURVEY HAS BEEN COMPLETED AND
REC	GULATION 10.4 APPLIES ant provisions of the Convention, and this Certificate
	on 10.4 of Annex I of the Convention, be accepted as
The state of the s	Signed:(Signature of duly authorized official)
	Place:
Manager Control	Date:

ENDORSEMENT TO EXTEND THE VALIDITY OF THE CERTIFICATE UNTIL REACHING THE PORT OF SURVEY OR FOR A PERIOD OF GRACE WHERE REGULATION 10.5 OR 10.6 APPLIES

his Certificate shall, in accorda e accepted as valid until:		of Annex I of the Convention,
	t enau ³	
() () () () () () () () () ()	Signed: _	(Signature of duly authorized official)
	Place:	
A COLO	Date:	
27 W	Date	
ENDORSEMENT FOR A	DVANCEMENT OF AN	INIVERSARY DATE WHERE
R	EGULATION 10.8 AP	PLIES
accordance with regulation 10.	.8 of Annex I of the Cor	nvention the new anniversary date is
	Signed: _	(Signature of duly authorized official)
		(Signature of duly authorized official)
7700	Place: _	
Mary Market	Date: _	
accordance with regulation 10	.8 of Annex I of the Cor	nvention the new anniversary date is
	Cianadi	
A COLUMN		
	Signed: _	(Signature of duly authorized official)
	Signed: _ Place: _	(Signature of duly authorized official)
		(Signature of duly authorized official)

FORM A

SUPPLEMENT TO THE

INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE (IOPP CERTIFICATE)

Record of Construction and Equipment for Ships other than Oil Tankers In respect of the provisions of Annex I of the

INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973

As modified by the Protocol of 1978, relating thereto, (hereinafter referred to as "the Convention")

Notes:

- 1. This form is to be used for the third type of ship as categorized in the IOPP Certificate, i.e. "ships other than any of the above". For oil tankers and ships other than oil tankers with cargo tanks coming under regulation 2.2 of Annex I of the Convention, Form B shall be used.
- 2. This Record shall be permanently attached to the IOPP Certificate. The IOPP Certificate shall be available onboard the ship at all times.
- 3. The language of the original Records shall be at least in English, French or Spanish. If an official language of the issuing country is also used, this shall prevail in case of a dispute or discrepancy.
- 4. Entries in boxes shall be made by inserting either a cross (x) for the answers "yes" and "applicable" or a dash (-) for the answers "no" and "not applicable" as appropriate.
- 5. Regulations mentioned in this Record refer to regulations of Annex I of the Convention and resolutions refer to those adopted by the International Maritime Organization.

1. Particulars of ship:

- 1.1 Name of ship: ALASKA PROVIDER

 1.2 Distinctive number or letters: 677990

 1.3 Port of registry: JUNEAU, AK
- 1.4 Gross tonnage: 2440 ITC
- 1.5 Date of build:
- 1.5.1 Date of building contract:
- 1.5.2 Date on which keel was laid or ship was at a similar stage of construction: 09/09/1984
- 1.5.3 Date of delivery: 12/15/1984
- 1.6 Major conversion (if applicable):
- 1.6.1 Date of conversion contract:
- 1.6.2 Date on which conversion was commenced:
- 1.6.3 Date of completion of conversion:
- 1.7 The ship has been accepted by the Administration as a "ship delivered on or before 31 December 1979" under regulation 1.28.1 due to unforeseen delay in delivery.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The Coast Guard estimates that the average burden per response is 6 minutes. You may submit any comments concerning the accuracy of this burden estimate or any suggestions for reducing the burden to: Commandant (CG-CVC), U.S. Coast Guard Stop 7501, 2703 Martin Luther King Jr Ave SE, Washington, DC 20593-7501 or Office of Management and Budget, Paperwork Reduction Project (1625-0041), Washington, DC 20503.

FORM A, SUPPLEMENT TO THE INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

2. Equipment for the control of oil discharge from machinery space bilge and oil fuel tanks (regulations 12A, 14 and 16):
2A.1 The ship is required to be constructed according to the regulation 12A and complies with the requirements of:
paragraphs 6 and either 7 or 8 (double hull construction)
paragraph 11 (accidental oil fuel outflow performance)
2A.2 The ship is not required to comply with the requirements of regulation 12A.
2.1 Carriage of ballast water in oil fuel tanks:
2.1.1 The ship may under normal conditions carry ballast water in oil fuel tanks
2.2 Type of oil filtering equipment fitted:
2.2.1 Oil filtering (15 ppm) equipment (regulation 14.6)
2.2.2 Oil filtering (15 ppm) equipment with alarm and automatic stopping device (regulation 14.7)
2.3 Approval standards:*
2.3.1 The separating/filtering equipment:
.1 has been approved in accordance with resolution A.393(X);
.2 has been approved in accordance with resolution MEPC.60(33);
.3 has been approved in accordance with resolution MEPC.107(49);
.4 has been approved in accordance with resolution A.233(VII);
.5 has been approved in accordance with national standards not based upon resolution
A.393(X) or A.233(VII);
.6 has not been approved
2.3.2 The process unit has been approved in accordance with resolution A.444(XI)
2.3.3 The oil content meter:
.1 has been approved in accordance with resolution A.393(X);
.2 has been approved in accordance with resolution MEPC.60(33);
.3 has been approved in accordance with resolution MEPC.107(49);
2.4 Maximum throughput of the system is <u>0.00</u> m ³ /h.
2.5 Waiver of regulation 14:
2.5.1 The requirements of regulation 14.1 or 14.2 are waived in respect of the ship in accordance with regulation 14.5
2.5.1.1 The ship is engaged exclusively on voyages within special area(s)
2.5.1.2 The distribution of Cafety for High Speed Croft and
2.5.1.2 The ship is certified under the International Code of Safety for High-Speed Craft and engaged on a scheduled service with a turn-around time not exceeding 24 hours
* Refer to the Recommendation on international performance and test specifications of oily-water separating equipment and oil content meters adopted by the Organization on 14 November 1977 by resolution A.393(X), which superseded resolution A.233(VII). Further reference is made to the Guidelines and specifications for pollution prevention equipment for machinery space bilges adopted by the Marine Environment Protection Committee of the Organization by resolution MEPC.60(33), which, effective on 6 July 1993, superseded resolutions A.393(X) and A.444(XI) and the revised Guidelines and specifications for pollution prevention equipment for machinery spaces of ships adopted by the Marine Environment Protection Committee of the Organization by resolution MEPC.107(49) which, effective on 1 January 2005, superseded resolutions MEPC.60(33), A.393(X) and A.444(XI).

FORM A, SUPPLEMENT TO THE INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

Tank	Tank Location		CI surrelugazata	
Identification	Frames (from) – (to)	Lateral Position	Volume (m ³)	
	The same and a first		FOR A SHADOW STATE A 2 2 20 LPROSE	
menorany samulan	of the mental Anni Salara Salara Broth	Tand the total different party of	em entire Blasca	
tibra voluitquas in	and consequences	PRINCE DESCRIPTION TO SERVER	STRY IN STREET	
		Total Volume:	0.00 m	
		, ,	0.00 H	
llows: Tank	Tank Location		Volume (m ³)	
Identification	Frames (from) – (to)	Lateral Position	volume (m)	
https://www.html				
		1(2 mails	layed) atediezing	
communicie de l'America Contrada de l'America	CHARLEST WAS CONTACT	Total Volume:	0.00 m	
TRESTRICT OF A		C. In consumeration of	0.00 m	
eans for the disposal o	f oil residues (sludge) reta	Total Volume:	n of Twenty	
	f oil residues (sludge) retalues (sludge), maximum o	ained in oil residue (sludge		
ncinerator for oil resid	lues (sludge), maximum o	ained in oil residue (sludge) tanks:	
ncinerator for oil resid	lues (sludge), maximum o	ained in oil residue (sludge) tanks:	
ncinerator for oil resid	lues (sludge), maximum o	ained in oil residue (sludge) tanks:	
Incinerator for oil residence. Auxiliary boiler suitaborther acceptable mean	lues (sludge), maximum of the for burning oil residues s, state which	ained in oil residue (sludge capacitys (sludge)) tanks:	
Incinerator for oil residence. Auxiliary boiler suitaborther acceptable mean	lues (sludge), maximum of the for burning oil residues s, state which	ained in oil residue (sludge capacitys (sludge)) tanks:	
Incinerator for oil residence. Auxiliary boiler suitaborther acceptable mean	lues (sludge), maximum of the for burning oil residues s, state which holding tank(s) for the residues of the state which which the state which we state which which the state which we state which which we state w	ained in oil residue (sludge capacitys (sludge)) tanks:	
Auxiliary boiler suitab Other acceptable mean	lues (sludge), maximum of the for burning oil residues s, state which	ained in oil residue (sludge capacitys (sludge)) tanks:	
Auxiliary boiler suitab Other acceptable mean ae ship is provided with	lues (sludge), maximum of the for burning oil residues s, state which holding tank(s) for the rank Location	ained in oil residue (sludge capacitys (sludge)) tanks:	
Auxiliary boiler suitab Other acceptable mean ae ship is provided with	lues (sludge), maximum of the for burning oil residues s, state which holding tank(s) for the rank Location	ained in oil residue (sludge capacitys (sludge)) tanks:	
Auxiliary boiler suitab Other acceptable mean ae ship is provided with	lues (sludge), maximum of the for burning oil residues s, state which holding tank(s) for the rank Location	ained in oil residue (sludge capacitys (sludge)) tanks:	
Auxiliary boiler suitab Other acceptable mean ae ship is provided with	lues (sludge), maximum of the for burning oil residues s, state which holding tank(s) for the rank Location	ained in oil residue (sludge capacitys (sludge)) tanks:	

^{*} Oily bilge water holding tank(s) are not required by the Convention; if such tank(s) are provided they shall be listed in Table 3.3.

FORM A, SUPPLEMENT TO THE INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

4.	Standard discharge connection (regulation 13):	
4.1	The ship is provided with a pipeline for the discharge of residues from machinery bilges and sludges to reception facilities, fitted with a standard discharge connection in accordance with regulation 13	-
5.	Shipboard oil/marine pollution emergency plan (regulation 37):	
5.1	37	X
5.2	The ship is provided with a shipboard marine pollution emergency plan in compliance with regulation 37.3	_
6.	Exemption:	•
6.1		
	of this Record	-
7. 7.1	Equivalents (regulation 5): Equivalents have been approved by the Administration for certain requirements of Annex I listed under paragraph(s): 2.2, 2.3, AND 5 - THE DESIGN OF THIS BARGE IS CONSIDERED EQUIVALENT TO THE REQUIREMENTS OF 12, 14, AND 15, ALL OILY WASTES MUST BE RETAINED ONBOARD FOR DISCHARGE TO RECEPTION FACILITIES.	
	of this Record	_
0	Complete and H. A. showtow 1 of the Polow Code	
8.	Compliance with part II-A-chapter 1 of the Polar Code The ship is in compliance with additional requirements in the environment-related provisions of	
8.1	the introduction and section 1.2 of chapter 1 of part II-A of the Polar Code.	_
TH	IIS IS TO CERTIFY that this Record is correct in all respects.	
Iss	sued at: SEATTLE, WASHINGTON	
	Place of Issue of the Record 11/05/2021 L. D. BACON, CDR, USCG III Sausn	
	Date of Issue Officer in Charge, Marine Inspection, U.S. Coast Guard	

ATTACHMENT TO THE IOPP CERTIFICATE AND FORM A SUPPLEMENT

RECORD OF CONSTRUCTION AND EQUIPMENT FOR SHIPS OTHER THAN OIL TANKERS

<u>IOPP CERTIFICATE</u> - GROSS TONNAGE:
* The vessel's gross tonnage has been measured by the tonnage authorities of the United States of America in accordance with national tonnage rules which were in force prior to the coming of the International Convention on Tonnage Measurement of Ships, 1969:
9. WAIVER OF REGULATION 14.
The ship is waived from the requirements of Regulation 14.1 and 14.2 in accordance with Regulation 14.5.
.1 this ship is engaged exclusively on voyages within special area(s): or
with regard to the provisions of subparagraphs .1 and .2 of section 8 above, the following conditions shall be complied with:
 the ship is fitted with a holding tank having a volume adequate, to the satisfaction of the Administration, for the total retention on board of the oily bilge water; all oily bilge water is retained on board for subsequent discharge to reception facilities; the Administration has determined that adequate reception facilities are available to receive such oily bilge water in a sufficient number of ports or terminals the ship calls at; the International Oil Pollution Prevention Certificate, when required, is endorsed to the effect that the ship is exclusively engaged on the voyages within special areas or has been accepted as a high speed craft for the purpose of this regulation and the service is identified; and
.5 the quantity, time and port of the discharge are recorded in the Oil Record Book Part 1.
10. WAIVER OF REGULATION 39
Drilling rigs shall be equipped as far as practicable with oil-water separating/filtering equipment. The U.S. Coast Guard has determined that it is not practicable to install oil-water separating/filtering equipment on this ship. All platform machinery space oily wastes shall be retained on board the waste oil tank for discharge in barrels to reception facilities: