### INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

(Note: This Certificate shall be supplemented by a Record of Construction and Equipment)

Issued under the provisions of the

# INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973

As modified by the Protocol of 1978, relating thereto, (hereinafter referred to as "the Convention") under the authority of the Government of:

# THE UNITED STATES OF AMERICA By the UNITED STATES COAST GUARD

Name of ship	Distinctive number or letters	Port of Registry	Gross Tonnage	Deadweight of ship (tons)	IMO Number **
KENAI TRADER	645500	SEATTLE, WA	2883 ITC	-	-

Typ	e of Ship:		
	Oil Tanker (Form B Supplemen	nt attached)	
	Ship other than an oil tanker wi (Form B Supplement attached)	th cargo tanks coming under regulation 2.2 of Annex I of the	Convention
•	Ship other than any of the above	ve (Form A Supplement attached)	
ТНІ	S IS TO CERTIFY:		
1.	That the ship has been surveyed Convention; and	d in accordance with the requirements of regulation 6 of Ann	ex I of the
2.	That the survey shows that the s ship and the condition thereof ar requirements of Annex I of the C	structure, equipment, systems, fittings, arrangement and mater re in all respects satisfactory and that the ship complies with Convention.	terial of the the applicable
	s certificate is valid until *: _ h the regulation 6 of Annex I		accordance
	Issued at ALASKA	(Place of issue)	
	13Apr2023 (Date of issue)	J. Z. DOWNING  (Officer in Charge, Marine Inspection, U.S. Coast Guard)	

For oil tankers

The Coast Guard estimates that the average burden for this report is 5 minutes. You may submit any comments concerning the accuracy of this burden estimate or any suggestions for reducing the burden to: Commandant (CG-CVC), U.S. Coast Guard, 2100 2<sup>nd</sup> Street SW Stop 7581, Washington, DC 20593-7581 or Office of Management and Budget, Paperwork Reduction Project (1625-0017), Washington, DC 20503

<sup>++</sup> Refer to the IMO Ship Identification Number Scheme adopted by the Organization by resolution A.600(15).

<sup>\*</sup> Insert the date of expiry as specified by the Administration in accordance with regulation 10.1 of Annex I of the Convention. The day and the month of this day corresponds to the anniversary date as defined in regulation 1.27 of Annex I of the convention, unless amended in accordance with regulation 10.8 of Annex I of the convention.

### INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

### **ENDORSEMENT FOR ANNUAL AND INTERMEDIATE SURVEYS**

**THIS IS TO CERTIFY** that at a survey required by regulation 6 of Annex I of the Convention the ship was found to comply with the relevant provisions of the Convention.

Annual Survey:	Signed: LICELT  Place: Seattle, WA  Date: 22JAN 24
	Signed: Place: Date:
	Signed: Place: Date:
Annual Survey:	Signed: Place:

# ANNUAL/INTERMEDIATE SURVEY IN ACCORDANCE WITH REGULATION 10.8.3

THIS IS TO CERTIFY that, at an of Annex I of the Convention, the ship was the Convention:	as found to o	in accordance with regulation 10.8.3 comply with the relevant provisions of
	Signed: Place: Date:	(Signature of duly authorized official)
ENDORSEMENT TO EXTEND THE CER WHERE REGULATION This ship complies with the relevant proves shall, in accordance with regulation 10.3 valid until:	LATION 10.	2 APPLIES 2 Convention, and this Certificate
	Signed: Place: Date:	(Signature of duly authorized official)
ENDORSEMENT WHERE THE RENEVE REGULATION This ship complies with the relevant provishall, in accordance with regulation 10.4 valid until:	ION 10.4 AF	PPLIES  Convention, and this Certificate
7700	Signed: Place: Date:	(Signature of duly authorized official)

# ENDORSEMENT TO EXTEND THE VALIDITY OF THE CERTIFICATE UNTIL REACHING THE PORT OF SURVEY OR FOR A PERIOD OF GRACE WHERE REGULATION 10.5 OR 10.6 APPLIES

This Certificate shall, in accordance with regulation be accepted as valid until:		of Annex I of the Convention,
	Signed: Place: Date:	(Signature of duly authorized official)
ENDORSEMENT FOR ADVANCEM REGULATION In accordance with regulation 10.8 of Annex	ON 10.8 A	PPLIES
7790	Signed: Place: Date:	(Signature of duly authorized official)
In accordance with regulation 10.8 of Annex	I of the C Signed: Place: Date:	onvention the new anniversary date is:  (Signature of duly authorized official)

# FORM A SUPPLEMENT TO THE INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE (IOPP CERTIFICATE)

Record of Construction and Equipment for Ships other than Oil Tankers In respect of the provisions of Annex I of the

# INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973

As modified by the Protocol of 1978, relating thereto, (hereinafter referred to as "the Convention")

### Notes:

- 1. This form is to be used for the third type of ship as categorized in the IOPP Certificate, i.e. "ships other than any of the above". For oil tankers and ships other than oil tankers with cargo tanks coming under regulation 2.2 of Annex I of the Convention, Form B shall be used.
- This Record shall be permanently attached to the IOPP Certificate. The IOPP Certificate shall be available onboard the ship at all times.
- 3. The language of the original Records shall be at least in English, French or Spanish. If an official language of the issuing country is also used, this shall prevail in case of a dispute or discrepancy.
- 4. Entries in boxes shall be made by inserting either a cross (x) for the answers "yes" and "applicable" or a dash (-) for the answers "no" and "not applicable" as appropriate.
- Regulations mentioned in this Record refer to regulations of Annex I of the Convention and resolutions refer to those adopted by the International Maritime Organization.

### 1. Particulars of ship:

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The Coast Guard estimates that the average burden per response is 6 minutes. You may submit any comments concerning the accuracy of this burden estimate or any suggestions for reducing the burden to: Commandant (CG-CVC), U.S. Coast Guard Stop 7501, 2703 Martin Luther King Jr Ave SE, Washington, DC 20593-7501 or Office of Management and Budget, Paperwork Reduction Project (1625-0041), Washington, DC 20503.

# INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE FORM A, SUPPLEMENT TO THE

oil fuel tanks	
space bilge and	
rom machinery	
oil discharge fi	
or the control of	12A, 14 and 16):
2. Equipment f	(regulations

.,		
1	_	
1		
1 1		
I	1.1 The ship is engaged exclusively on voyages within special area(s)	2.5.1.1
	The requirements of regulation 14.1 or 14.2 are waived in respect of the ship in accordance with regulation 14.5	2.5.
1	Waiver of regulation 14:	2.5
Į	Maximum throughput of the system ism <sup>3</sup> /h.	2.4
1	.3 has been approved in accordance with resolution MEPC.107(49);	
	2 has been approved in accordance with resolution MEPC.60(33);	
L	The	2.3.3
1	The process unit has been approved in accordance with resolution A.444(XI)	2.3.2
1	.6 has not been approved	
1	.5 has been approved in accordance with national standards not based upon resolution A.393(X) or A.233(VII);	
1	.4 has been approved in accordance with resolution A.233(VII);	
	.3 has been approved in accordance with resolution MEPC.107(49);	
1	.2 has been approved in accordance with resolution MEPC.60(33);	
1	I has been approved in accordance with resolution A.393(X);	2.3.1
	ΑĬ	2.3
1	Oil filtering (15 ppm) equipment with alarm and automatic stopping device (regulation 14.7) [	2.2.2
	Oil filtering (15 ppm) equipment (regulation 14.6)	2.2.1
	Type of oil filtering equipment fitted:	2.2
1	The ship may under normal conditions carry ballast water in oil fuel tanks	2.1.1
	Ö	2.1
$ \times$	paragraph 11 (accidental on rue) outflow performance)	2A.2
ᆜᆫ	paragraphs 6 and either 7 or 8 (double hull construction)	
	The ship is required to be constructed according to the regulation 12A and complies with the requirements of:	2A.1

<sup>\*</sup> Refer to the Recommendation on international performance and test specifications of oily-water separating equipment and oil content meters adopted by the Organization on 14 November 1977 by resolution A.393(X), which superseded resolution A.233(VII). Further reference is made to the Guidelines and specifications for pollution prevention equipment for machinery space bilges adopted by the Marine Environment Protection Committee of the Organization by resolution MEPC.60(33), which, effective on 6 July 1993, superseded resolutions A.393(X) and A.444(XI) and the revised Guidelines and specifications for pollution prevention equipment for machinery spaces of ships adopted by the Marine Environment Protection Committee of the Organization by resolution MEPC.107(49) which, effective on 1 January 2005, superseded resolutions MEPC.60(33), A.393(X) and A.444(XI).

# FORM A, SUPPLEMENT TO THE INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

Tank	Tank Location		3	
Identification	Frames (from) – (to)	Lateral Position	Volume (m <sup>3</sup> )	
		Total Volume:	0.00 m	
		Total volume.	0.00 m	
ans for retention and	disposal of oil residues (	sludge) (regulation 12) ar	nd oily bilge wate	
ling tank(s)*:				
		6 6 . 1 . 1	7.1. 1. V 1	
ne ship is provided with	n oil residue (sludge) tank	s for retention of oil residu	ies (sludge) on boa	
llows:				
Tank Identification	Tank Location	Lateral Position	Volume (m <sup>3</sup> )	
Identification	Frames (from) – (to)	Lateral Position		
			111	
	1	Total Volume:	0.00 m	
anna far tha diamagal a	f oil regidues (sludge) rate	ained in oil residue (sludge	) tanke:	
eans for the disposar o	i on residues (studge) rea	amed in on residue (studge	) taliks.	
Incinerator for oil resid	lues (sludge), maximum o	capacity	••••••	
	le for burning oil residues	s (sludge)		
Auxiliary boiler suitab				
Auxiliary boiler suitable Other acceptable mean	s, state which			
Other acceptable mean				
Other acceptable mean		retention on board of oily b	ilge water as follo	
Other acceptable mean	n holding tank(s) for the r	retention on board of oily b	ilge water as follo	
Other acceptable mean ne ship is provided with	n holding tank(s) for the r	*		
Other acceptable mean	n holding tank(s) for the r	retention on board of oily b	vilge water as follo Volume (m³)	
Other acceptable mean ne ship is provided with	n holding tank(s) for the r	*		
Other acceptable mean ne ship is provided with	n holding tank(s) for the r	*		
Other acceptable mean ne ship is provided with	n holding tank(s) for the r	*		
Other acceptable mean ne ship is provided with	n holding tank(s) for the r	*		

Page 3 of 5

# FORM A, SUPPLEMENT TO THE INTERNATIONAL OIL POLLUTION PREVENTION CERTIFICATE

<b>4.</b> 5 4.1	Standard discharge connection (regulation 13):  The ship is provided with a pipeline for the discharge of residues from machinery bilges and sludges to reception facilities, fitted with a standard discharge connection in accordance with regulation 13
5. 5	Shipboard oil/marine pollution emergency plan (regulation 37):
5.1	The ship is provided with a shipboard oil pollution emergency plan in compliance with regulation 37
5.2	The ship is provided with a shipboard marine pollution emergency plan in compliance with regulation 37.3
6. 1	Exemption:
6.1	Exemptions have been granted by the Administration from the requirements of chapter 3 of Annex I of the Convention in accordance with regulation 3.1 on those items listed under paragraph(s)
	of this Record
7. 7.1	Equivalents (regulation 5):  Equivalents have been approved by the Administration for certain requirements of Annex I listed under paragraph(s): 2.2, 2.3, AND 5 - THE DESIGN OF THIS BARGE IS CONSIDERED EQUIVALENT TO THE REQUIREMENTS OF 12, 14, AND 15; ALL OILY WASTE MUST BE RETAINED ONBOARD FOR DISCHARGE TO RECEPTION FACILITIES
	of this RecordX
<b>8.</b> 8.1	Compliance with part II-A-chapter 1 of the Polar Code  The ship is in compliance with additional requirements in the environment-related provisions of the introduction and section 1.2 of chapter 1 of part II-A of the Polar Code.
THI	S IS TO CERTIFY that this Record is correct in all respects.
Issu	ed at: HOMER, ALASKA
0	Place of Issue of the Record 4/13/2023 J. Z. DOWNING, CDR, By dir.
	Date of Issue Officer in Charge, Marine Inspection, U.S. Coast Guard

# ATTACHMENT TO THE IOPP CERTIFICATE AND FORM A SUPPLEMENT

## RECORD OF CONSTRUCTION AND EQUIPMENT FOR SHIPS OTHER THAN OIL TANKERS

<b>I</b> ∩ <b>P</b> P	CERTIFIC	ΔTF -	GROSS	TONNAGE:
$\mathbf{I}$	CENTITIC	A1L -	CICOSS	TUNNAUL.

IOPP CERTIFICATE - GROSS TONNAGE:
* The vessel's gross tonnage has been measured by the tonnage authorities of the United States of America in accordance with national tonnage rules which were in force prior to the coming of the International Convention on Tonnage Measurement of Ships, 1969:
9. WAIVER OF REGULATION 14
The ship is waived from the requirements of Regulation 14.1 and 14.2 in accordance with Regulation 14.5.
1.1 this ship is engaged exclusively on voyages within special area(s): or
with regard to the provisions of subparagraphs .1 and .2 of section 8 above, the following conditions shall be complied with:
<ol> <li>the ship is fitted with a holding tank having a volume adequate, to the satisfaction of the Administration, for the total retention on board of the oily bilge water;</li> <li>all oily bilge water is retained on board for subsequent discharge to reception facilities;</li> <li>the Administration has determined that adequate reception facilities are available to receive such oily bilge water in a sufficient number of ports or terminals the ship calls at;</li> <li>the International Oil Pollution Prevention Certificate, when required, is endorsed to the effect that the ship is exclusively engaged on the voyages within special areas or has been accepted as a high speed craft for the purpose of this regulation and the service is identified; and</li> <li>the quantity, time and port of the discharge are recorded in the Oil Record Book Part 1.</li> </ol>
10. WAIVER OF REGULATION 39
Drilling rigs shall be equipped as far as practicable with oil-water separating/filtering equipment. The U.S. Coast Guard has determined that it is not practicable to install oil-water separating/filtering equipment on this ship. All platform machinery space oily wastes shall be retained on board the waste oil tank for discharge in barrels to reception facilities: